

From: [Canellas, Bart](#)
To: [Keith Horn \(DSL Petro 2011\)](#)
Cc: [Darcie Olexia](#); [Little, Bill](#)
Subject: DSL draft fact sheet and CH CRA latest concern
Date: Thursday, August 27, 2015 10:59:07 AM
Attachments: [Fact Sheet after health advisory draft 7 - KLH bjc ldhh bl.docx](#)

FYI.

Attached is a revised draft of the DSL fact sheet. I made some changes as per comments from LDHH and comments from other reviewers. Is turning into a mess trying to address every one comments and suggestions. Anyway, that's the latest flavor. Your previous comments were very good. But many reviewers have commented and some are a matter of style or preference. Hard to please everyone.

I am on hold for a date to finalize the Tier 2 RI and a resolution from the PRPs to move forward. They were reviewing our risk assessors recommendations for the risk assessment assumptions.

If you see anything major, please let me know.

The objective of EPA's fact sheet is to inform that we are moving forward, the Tier 2 will be final, available to the public, that we (regulators and PRPs) are moving forward to the FS and they will have the opportunity to comment prior a final decision.

Bartolome J Canellas (6SF-RL)
Remedial Project Manager
LA/NM/OK Remedial Section
EPA Region 6 - Superfund Program
Office: (214) 665-6662



9600762